10593111

PATENT COOPERATION TREATY

REC'D 18 JUL 2005

| Fro: | m the ERNATIO | NAL SEARCHI | NG AUTHO | DRITY | | | Bally | 109 | | |
|---|--|---|-------------------------------|--|--|---|--|--------|--|--|
| To: GARY C. COHN GARY C. COHN PLLC 1147 N. 4TH ST. | | | | | PCT WRITTEN OPINION OF THE | | | | | |
| UNIT 6E PHILADELPHIA, PA 19123 | | | | | INTERNATIONAL SEARCHING AUTHORITY | | | | | |
| • | | | | | | (PCT Rule 43bis. | 1) | | | |
| | | | | | Date of mailing (day/month/year) | 14 JUL 201 |) 5 | | | |
| A | pplicant's | or agent's file ref | ference | | FOR FURTHER | ACTION Sec paragraph 2 below | , | | | |
| Ļį | 193 | l application No. | | International filing date | (day/month/year) | Priority date (day/mo | mth/year) | | | |
| ì | | | | 24 March 2005 (24.03.2 | | 26 March 2004 (26.0 | 3.2004) | | | |
| H | CT/US05/ | 09892 | ation (IPC) | or both national classifica | tion and IPC | | | | | |
| 1 | | | | | | | | | | |
| | PC(7): C0 Applicant | 8J 9/10, 9/12 and | US CL: 321 | 179, 91, 182, 910 | | | | | | |
| ı | | VORKS LLC | | | | | | | | |
| Ē | 1. This o | pinion contains in | dications re | lating to the following ite | ms: | | | | | |
| | M | Box No. I | Basis of th | | | | | | | |
| | | Box No. II | Priority | | | | | 1 | | |
| | H | Box No. III | | lishment of opinion with | regard to novelty, inv | entive step and industri | al applicability | | | |
| | | Box No. IV | Lack of u | nity of invention | | , . | | | | |
| | \boxtimes | Box No. V | Reasoned applicabil | statement under Rule 432 ity; citations and explanat | bis.1(a)(i) with regard tions supporting such | to novelty, inventive s statement | tep or industrial | | | |
| Ì | | Box No. VI | Certain de | ocuments cited . | | | | l | | |
| 1 | | Box No. VII | | efects in the international | | | | ļ | | |
| | | Box No. VIII | Certain o | bservations on the interna | tional application | | | | | |
| | 2. FURTHER ACTION If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bls(b) that written opinions of this International Searching Authority will not be so considered. | | | | | | | | | |
| | IPEA of Fo | A a written reply orm PCT/ISA/220 | together, wr or before the | ove, considered to be a value appropriate, with am he expiration of 22 month | written opinion of the endments, before the s from the priority da | e IPEA, the applicant is expiration of 3 months ate, whichever expires learning | s invited to submit s from the date of n ater. | to the | | |
| | For further options, see Form PCT/ISA/220. | | | | | | | | | |
| İ | 3. For | further details, see | e notes to Fo | orm PCT/ISA/220. | · . | C | | | | |
| | Mama | d mailing address | of the ISA/ | US | Authorized of | ficer | 200 | 7 1 | | |
| | Maine an | Mail Stop PCT, At | ttn: ISA/US | • | Irina S. Zeme | i | White | 120V | | |
| | | Commissioner for P.O. Box 1450 Alexandria, Virgis | | 50 | Telephone No | 5. 571-272-0577 | Das | | | |
| | | THEY STORES | | | 1 | | ~ | | | |

Facsimile No. (703) 305-3230
Form PCT/ISA/237 (cover sheet) (January 2004)

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No.
PCT/US05/09892

| Box No. I Basis of this opinion |
|---|
| |
| 1. With regard to the language, this opinion has been established on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item. |
| This opinion has been established on the basis of a translation from the original language into the following language which is the language of a translation furnished for the purposes of international search (under Rules 12.3 and 23.1(b)). |
| 2. With regard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed invention, this opinion has been established on the basis of: |
| a. type of material |
| a sequence listing |
| table(s) related to the sequence listing |
| b. format of material |
| in written format |
| in computer readable form |
| c. time of filing/furnishing |
| contained in international application as filed. |
| filed together with the international application in computer readable form. |
| furnished subsequently to this Authority for the purposes of search. |
| In addition, in the case that more than one version or copy of a sequence listing and/or table relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished. |
| 4. Additional comments: |
| |
| |
| · |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Form PCT/ISA/237(Box No. I) (January 2004)

WRITTEN OPINION OF THE

Form PCT/ISA/237 (Box No. V) (January 2004)

International application No. PCT/US05/09892

| INTERNATIONAL SEARCHING | AUTHORITY | | | | | | |
|--|--|---|---|--|--|--|--|
| Box No. V Reasoned statement under Rule applicability; citations and expla | 43 his 1(a)(f) with regard | I to novelty, inventive step statement | or industrial | | | | |
| 1. Statement | | | | | | | |
| | Claims NONE | _ | YES | | | | |
| Novelty (N) | Claims 1-25 | | NO | | | | |
| | C | | | | | | |
| Inventive step (IS) | Claims NONE | | YES | | | | |
| mvenavo sep (12) | Claims 1-25 | | NО | | | | |
| | | | YES | | | | |
| Industrial applicability (IA) | Claims 1-25 | | | | | | |
| | Claims NONE | | | | | | |
| | | | | | | | |
| 2. Citations and explanations: | | | | | | | |
| Claims 1-25 lack novelty under PCT Article 33(2) as being anticipated by JP 2002-322309 to SEKISUI PLASTICS CO LTD.; (hereinafter "Sekisui") or US Patent 5,134,171 to Hammel et al., (hereinafter "Hammel"). (hereinafter "Sekisui") or US Patent 5,134,171 to Hammel et al., (hereinafter "Hammel"). (PLA) containing foaming agent such as Sekisui discloses a process for forming a pressurized molten mixture of polylactic acid resin (PLA) containing foaming agent such as carbon dioxide (see [0022]) in the amount of 10 to 30 parts by weight of the PLA, (see [0025]) and extruding the mixture through a die to foam the mixture. See all illustrative examples. The disclosed PLA is amorphous PLA comprising a mixture of L and D - to foam the mixture. See all illustrative examples are conditions at which CO2 is in supercritical state. See illustrative examples. The invention as claimed, therefore, is fully anticipated by the Sekisui reference. Claims 1-25 lack novelty under PCT Article 33(2) as being anticipated by Hammel. Hammel discloses a process for forming a pressurized molten mixture of polylactic acid resin (PLA) containing foaming agent such as carbon dioxide (see column 3, lines 35-39, pressurized molten mixture of polylactic acid resin (PLA) containing foaming agent such as carbon dioxide (see column 3, lines 35-39, pressurized molten mixture of polylactic acid resin (PLA) containing foaming agent such as carbon dioxide (see column 3, lines 35-39, pressurized molten mixture column 3, lines 35-39, pressurized molten mixture column 3, lines 35-39, pressurized molten mixture. See all illustrative examples. The disclosed PLA is amorphous PLA comprising a mixture of L and D - die to foam the mixture examples, column 2, line 61 to column 3, line 11, or various copolymers pf PLA. The mixture further enantiomars, see illustrative examples, column 2, line 61 to column 3, line 11, or various copolymers pf PLA. The mixture further enantiomars, see illustrative examples, column 2, line 61 to column 3, line 11, or various copolyme | | | | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example arantomars, see illustrative examples, column 2, | as being anticipated by Ham a (PLA) containing foaming a by weight of the PLA, (see oles. The disclosed PLA is a line 61 to column 3, line 11, | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a l or various copolymers pf PLA case at the conditions at which | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example arantomars, see illustrative examples, column 2, | as being anticipated by Ham a (PLA) containing foaming a by weight of the PLA, (see oles. The disclosed PLA is a line 61 to column 3, line 11, | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a l or various copolymers pf PLA case at the conditions at which | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example enantiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative e state. See illustrative examples. The invention as | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example enantiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative e state. See illustrative examples. The invention as | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |
| enantiomars. The extrusion takes place at temperate [0026]. The process tae place at the conditions at claimed, therefore, is fully anticipated by the Sekis Claims 1-25 lack novelty under PCT Article 33(2) pressurized molten mixture of polylactic acid resir illustrative example 8) in the amount of about 5 % die to foam the mixture. See all illustrative example antiomars, see illustrative examples, column 2, comprises nucleating agent as per all illustrative exate. See illustrative examples. The invention as Claims 1-25 meet the criteria set out in PCT Articles. | as being anticipated by Ham (PLA) containing foaming a by weight of the PLA, (see in coles. The disclosed PLA is an line 61 to column 3, line 11, xamples. The process tae placed claimed, therefore, is fully a | amel. Hammel discloses a pro agent such as carbon dioxide (illustrative examples) and extra morphous PLA comprising a lor various copolymers of PLA ace at the conditions at which inticipated by the Sekisui refer | cess for forming a see column 3, lines 35-39, uding the mixture through a mixture of L and D - The mixture further CO2 is in supercritical rence. | | | | |